

# Words and bisimulations of dynamical systems\*

Thomas Brihaye\*\*

Universit de Mons-Hainaut  
Institut de Mathmatique  
6, Avenue du Champ de Mars  
7000 Mons, Belgique  
thomas.brihaye@umh.ac.be

**Abstract.** In this paper we study bisimulations on *dynamical systems* through a given partition. Our aim is to give a new vision of the notion of bisimulation by using *words*. To achieve this goal, we encode the *trajectories* of the transition system as words. This method was introduced in our paper “On o-minimal hybrid systems” in order to give a new proof of the existence of a finite bisimulation for *o-minimal hybrid systems* (as previously proved in a paper by Lafferriere G., Pappas G.J. and Sastry S.). Here we want to provide a systematic study of this method in order to obtain a procedure for building finite bisimulations based on words.

## 1 Introduction

More and more real-life systems are automatically controlled. It is of a capital importance to know whether the programs governing these systems are correct. In order to be able to manipulate these real-life systems, various mathematical models have been introduced (*timed automata* [AD94], *hybrid systems* [Hen96],...) making the study of the abstract systems a wide and interesting domain of research. Unfortunately even the abstract systems are not always that easy to handle, the main problem being their infinite size. One way to solve this problem is to reduce these infinite systems to finite systems in such a way that enough information is preserved. It is known that *bisimulations* (see [Acz88,Cau95,Hen95]) are a “reduction” of particular interest since they preserve a lot of interesting properties (*reachability problem*, *model-checking branching logic...* [HNSY94,ACH+95,AHLP00]). That is why we focus our attention on systems admitting a finite bisimulation.

In [BMRT04] in order to prove the existence of a finite bisimulation for an extended class of *o-minimal hybrid systems*<sup>1</sup>, we encode the continuous dynamics through *words* (see also [BM04]). In the previous two papers we limit ourselves to the encoding of *o-minimal dynamical systems* (i.e. dynamical systems definable in an o-minimal structure; see [vdD98] for a nice overview on o-minimality.). In particular we only had to manipulate *finite words*. Let us mention that some

---

\* This research has been supported by a grant from the National Bank of Belgium

\*\* This author is supported by a FRFC grant: 2.4530.02.

<sup>1</sup> introduced in [LPS00].

analogue already appears in the literature (the notion of signature for example in [ASY01]). Let us also notice that bisimulations of dynamical systems has been studied independently in [JdS04] but in a different framework. They studied dynamical system as defined in [Wil91].

Our technique was used by Korovina and Vorobjov in order to compute a doubly exponential bound on the size of the coarsest finite bisimulation of *pfaffian hybrid systems* (see [KV04]). They recently improved their results by reducing the bound to a single exponential and prove that this bound is tight (see [KV05]).

In this paper, we want to give a systematic study of this encoding technique. In particular we give a Procedure (*Bisi $\omega$* ) that aims to build a bisimulation on a dynamical system through a partition. Our hope is that this systematic study will lead to the discovery of some new general classes of dynamical systems (through partition) which admit finite bisimulations. Beyond the fact that dynamical systems are of interest in their own, they are an essential component of hybrid systems. In particular, when *strong reset conditions* are assumed on the hybrid system, finding finite bisimulations of the hybrid system reduces in finding a finite bisimulation on each location (which is endowed with a dynamical system) w.r.t. the partition induced by the guards, resets and invariant. It is the case for o-minimal hybrid systems, see [LPS00]. Moreover a recent point of view on the theory of hybrid systems allows to see an hybrid system as a dynamical system (see the notion of *hybrifold* in [SJS00]).

The rest of the paper is organized as follows. In section 2, we recall classical definitions and properties of bisimulations on a transition system, we also describe the well-known *bisimulation algorithm* ([BFH91,KS90,Hen96]), which is in fact a semi-algorithm. We end this section by defining what we call a *dynamical system* in this paper. Section 3 is the main section of the paper. We start by explaining how to associate a *word* with a trajectory; we introduce the notion of *dynamical type* which allows in some sense to recover the continuous dynamics through the partition. These tools being formalized we introduce a conceptual semi-algorithm called Procedure *Bisi $\omega$*  and we prove that this procedure computes a bisimulation. We also describe several variants of our procedure. Finally we discuss in which case *Bisi $\omega$*  provides the coarsest bisimulation of a dynamical system through a given partition. In Section 4 we provide an extensive list of examples.

## 2 Preliminaries

In this section, we recall some basic definitions and results concerning bisimulations on a transition system (see [Acz88,Cau95,Hen95] for general references). We also recall the well-known *bisimulation algorithm* ([BFH91,KS90,Hen96]). Then we give definition of *dynamical systems* and associate with them a natural transition system.

## 2.1 Transition systems and bisimulation

**Definition 21** A transition system  $T = (Q, \Sigma, \rightarrow)$  consists of a set of states  $Q$  (which may be uncountable),  $\Sigma$  a finite alphabet of events, and  $\rightarrow \subseteq Q \times \Sigma \times Q$  a transition relation.

A transition  $(q_1, a, q_2) \in \rightarrow$  is denoted by  $q_1 \xrightarrow{a} q_2$ . A transition system is said finite if  $Q$  is finite. If the alphabet of events is reduced to a singleton,  $\Sigma = \{a\}$ , we will denote the transition system  $(Q, \rightarrow)$  and omit the event  $a$ .

**Definition 22** Given a transition system  $T = (Q, \Sigma, \rightarrow)$ , a finite path in  $T$  is a finite sequence of transitions  $q_0 \ q_1 \ q_2 \ \dots \ q_n$  such that for all  $i = 1, \dots, n$  there exists  $a_i \in \Sigma$  such that  $q_{i-1} \xrightarrow{a_i} q_i$ . We denote it as follows:

$$\rho = q_0 \xrightarrow{a_1} q_1 \xrightarrow{a_2} q_2 \dots \xrightarrow{a_n} q_n.$$

**Definition 23** Given two transition systems on the same alphabet of events,  $T_1 = (Q_1, \Sigma, \rightarrow_1)$  and  $T_2 = (Q_2, \Sigma, \rightarrow_2)$ , a partial simulation of  $T_1$  by  $T_2$  is a binary relation  $\sim \subseteq Q_1 \times Q_2$  which satisfies the following condition:

$$\begin{aligned} \forall q_1, q'_1 \in Q_1, \forall q_2 \in Q_2, \forall a \in \Sigma, \\ (q_1 \sim q_2 \text{ and } q_1 \xrightarrow{a} q'_1) \Rightarrow (\exists q'_2, q'_1 \sim q'_2 \text{ and } q_2 \xrightarrow{a} q'_2) \end{aligned} \quad (1)$$

The condition (1) is read  $T_2$  partially simulates  $T_1$ .

**Definition 24** Given  $\sim$  a partial simulation of  $T_1$  by  $T_2$ , we say that  $\sim$  is a simulation of  $T_1$  by  $T_2$  if, for each  $q_1 \in Q_1$ , there exists  $q_2 \in Q_2$  such that  $q_1 \sim q_2$ .

**Definition 25** Given two transition systems on the same alphabet of events,  $T_1 = (Q_1, \Sigma, \rightarrow_1)$  and  $T_2 = (Q_2, \Sigma, \rightarrow_2)$ , a bisimulation between  $T_1$  and  $T_2$  is a relation  $\sim \subseteq Q_1 \times Q_2$  such that  $\sim$  is a simulation of  $T_1$  by  $T_2$  and the inverse relation<sup>2</sup>  $\sim^{-1}$  is a simulation of  $T_2$  by  $T_1$ . In this case we say that  $T_1$  and  $T_2$  are bisimilar.

**Remark 26** One could consider a different notion of bisimulation, let us call it back-bisimulation or backward bisimulation (see [HKPV98]). This would come from the notion of partial backward-simulation defined as partial simulation (Definition 23) where the condition (1) is replaced by:

$$\begin{aligned} \forall q_1, q'_1 \in Q_1, \forall q'_2 \in Q_2, \forall a \in \Sigma, \\ (q'_1 \sim q'_2 \text{ and } q_1 \xrightarrow{a} q'_1) \Rightarrow (\exists q_2, q_1 \sim q_2 \text{ and } q_2 \xrightarrow{a} q'_2) \end{aligned}$$

We say that a bisimulation is a forward stable relation and that the back-bisimulation is a backward stable relation. The difference between these two notions is illustrated on Figures 1 and 2.

<sup>2</sup> If  $\sim = \{(q_1, q_2) \in Q_1 \times Q_2 \mid q_1 \sim q_2\}$ , then  $\sim^{-1} = \{(q_2, q_1) \in Q_2 \times Q_1 \mid q_1 \sim q_2\}$ .




Fig. 1. Forward stable relation




Fig. 2. Backward stable relation

**Definition 27** Given a transition system  $T = (Q, \Sigma, \rightarrow)$ , we can look at bisimulations on  $Q \times Q$ ; they are called bisimulations on  $T$ .

As already mentioned in the introduction, a motivation for the study of bisimulation is the *reachability problem*. Let us make this problem more precise:

**Reachability Problem 28** Given  $T = (Q, \Sigma, \rightarrow)$  a transition system,  $Init \subseteq Q$  and  $Fin \subseteq Q$  two subsets of states, is there a finite path<sup>3</sup>  $\rho$  from  $Init$  to  $Fin$ ?

If  $T = (Q, \rightarrow)$  is a *reflexive*<sup>4</sup> transition system then there exists several trivial “partial” bisimulations on  $T$  given by  $\sim_q = \{(q, q') \mid q' \in Q\}$  for  $q \in Q$ . This implies that there exists a bisimulation between  $T$  and a *one-state system*  $T_0$ , where  $T_0 = (Q_0, \rightarrow_0)$  with  $Q_0 = \{q_0\}$  and  $\rightarrow_0 = \{(q_0, q_0)\}$ . The bisimulation between  $T$  and  $T_0$  is given by  $\sim_0 = \{(q, q_0) \mid q \in Q\}$ .

Regarding the *reachability problem 28*, the bisimulations  $\sim_q$  and  $\sim_0$  are completely irrelevant. One can have a bisimulation between a completely disconnected reflexive transition system and a single state system ( $T_0$ ). This gives a motivation for the definition of *bisimulation w.r.t. a partition*. This notion leads to a preservation result on the Reachability Problem (see Lemma 215).

Moreover the study of finite bisimulation w.r.t. a partition on dynamical systems leads to the existence of finite bisimulations on subclasses of *hybrid systems*, for examples see [LPS00,Dav99,BMRT04,KV04,BM04,KV05].

Let us give the definition of *bisimulation w.r.t. a partition*.

**Definition 29** Given  $T$  a transition system,  $\mathcal{P}$  a partition of  $Q$  and  $\sim \subseteq Q \times Q$  a bisimulation, we say that the bisimulation  $\sim$  respects the partition  $\mathcal{P}$  if given any  $p, q \in Q$  such that  $p \sim q$  then  $p$  and  $q$  belong to the same piece of the partition  $\mathcal{P}$ . We will speak of bisimulations w.r.t.  $\mathcal{P}$ .

**Definition 210** Given  $T$  a transition system,  $\mathcal{P}$  a partition of  $Q$  we can define the coarsest bisimulation on  $T$  w.r.t.  $\mathcal{P}$ , it is denoted  $\sim_{\mathcal{P}}$ :

$$\sim_{\mathcal{P}} = \bigcup \{ \sim \mid \sim \text{ is a bisimulation on } T \text{ w.r.t. } \mathcal{P} \}$$

<sup>3</sup> i.e.  $\rho = q_0 \xrightarrow{a_1} q_1 \xrightarrow{a_2} q_2 \cdots \xrightarrow{a_n} q_n$  with  $q_0 \in Init$  and  $q_n \in Fin$ .

<sup>4</sup> i.e. for all  $q \in Q$  we have that  $q \rightarrow q$ .

**Remarks 211** *Definition 210 makes sense since the union of bisimulations on  $T$  w.r.t.  $\mathcal{P}$  is still a bisimulation on  $T$  w.r.t.  $\mathcal{P}$ .*

*One can show that the coarsest bisimulation on  $T$  w.r.t.  $\mathcal{P}$  is an equivalence relation, moreover each piece of the partition  $\mathcal{P}$  is an union of equivalence classes of  $\sim_{\mathcal{P}}$ .*

In the case of bisimulations which are equivalence relations, we can define the notion of *quotient of a transition system by such a bisimulation*.

**Definition 212** *Given a transition system  $T = (Q, \Sigma, \rightarrow)$  and  $\sim$  a bisimulation on  $T$  which is an equivalence relation. We can consider the quotient of  $T$  by  $\sim$ , denoted by  $T/\sim = (Q/\sim, \Sigma, \rightarrow_{\sim})$  and defined as follows:*

- $Q/\sim = \{[q]_{\sim} \mid q \in Q\}$  where  $[q]_{\sim} = \{q' \mid q \sim q'\}$
- $[q_1]_{\sim} \xrightarrow{a} [q_2]_{\sim}$  if and only if there exists  $q'_1 \in [q_1]_{\sim}$  and  $q'_2 \in [q_2]_{\sim}$  such that  $q'_1 \xrightarrow{a} q'_2$ .

**Remark 213** *Definition 212 makes sense even when we consider an equivalence relation  $\sim$  which is not a bisimulation.*

**Lemma 214** *Given  $T$  a transition system,  $\sim$  a bisimulation on  $T$  which is an equivalence relation, then the graph of the natural map  $[\cdot]_{\sim} : Q \rightarrow Q/\sim$  is a functional bisimulation from  $T$  to its quotient transition system  $T/\sim$  (see [Cau95, Lemma A.1 p. i]).*

We end this subsection by making precise the folk result that states that bisimulations preserve the *Reachability Problem*.

**Lemma 215** *Given  $T$ ,  $Init$ ,  $Fin$  as in the Reachability Problem 28,  $\mathcal{P}$  a partition of  $Q$  given by  $\{Init \cap Fin, Fin \setminus Init, Init \setminus Fin, Q \setminus (Init \cup Fin)\}$  and  $\sim_{\mathcal{P}}$  a bisimulation on  $T$  which is an equivalence relation w.r.t.  $\mathcal{P}$ . There exists a finite path in  $T$  from  $Init$  to  $Fin$  if and only if there exists a finite path in  $T/\sim_{\mathcal{P}}$  from  $Init/\sim_{\mathcal{P}}$  to  $Fin/\sim_{\mathcal{P}}$ .*

Let us notice that the same result holds for back-bisimulation.

## 2.2 Bisimulation Algorithm

As already mentioned previously, it is an important question to know whether a given infinite system admits a finite bisimulation. Since, for example, the reachability problem is decidable for a finite system effectively described. Moreover it would be nice to have an automatic procedure to build this finite bisimulation. These facts lead to the introduction of the *bisimulation algorithm* which appeared in [BFH91,KS90,Hen96]. Given a transition system  $T = (Q, \Sigma, \rightarrow)$  and  $\mathcal{P}_0$  a finite partition of  $Q$ , the bisimulation algorithm iterates the computation of predecessors<sup>5</sup> of the pieces of the partition, let us recall it:

<sup>5</sup> Given  $T$  a transition system and  $q \in Q$ , the set of  $a$ -predecessors of  $q$ , denoted  $Pre_a(q)$ , is defined by  $Pre_a(q) = \{q' \in Q \mid q' \xrightarrow{a} q\}$ , and if  $P \subseteq Q$ ,  $Pre_a(P) = \bigcup_{q \in P} Pre_a(q)$ .

**Algorithm 216****Initialization:**  $\mathcal{P} := \mathcal{P}_0$ **While**  $\exists P, P' \in \mathcal{P} \exists a \in \Sigma$  such that  $\emptyset \neq P \cap \text{Pre}_a(P') \neq P$     **Set**  $P_1 = P \cap \text{Pre}_a(P')$  and  $P_2 = P \setminus \text{Pre}_a(P')$     **Refine**  $\mathcal{P} := (\mathcal{P} \setminus \{P\}) \cup \{P_1, P_2\}$ **End while****Return**  $\mathcal{P}$ 

The following are well-known results on the bisimulation algorithm.

**Lemma 217** *Given  $T$  a transition system and  $\mathcal{P}_0$  a finite partition of  $Q$ , the bisimulation algorithm terminates if and only if there exists a finite bisimulation on  $T$  w.r.t.  $\mathcal{P}_0$ .*

**Lemma 218** *If the bisimulation algorithm terminates it provides the coarsest bisimulation on  $T$  w.r.t.  $\mathcal{P}_0$ .*

**2.3 Dynamics**

**Definition 219** A dynamical system<sup>6</sup> is a pair  $(\mathcal{M}, \gamma)$  where:

- $\mathcal{M} = \langle M, < \rangle$  is a totally ordered structure,
- $\gamma : M^{k_1} \times M \rightarrow M^{k_2}$  is a function.

The function  $\gamma$  is called the dynamics of the dynamical system. More generally, we can consider the case where  $\gamma$  is defined on subsets of  $\mathcal{M}$  that is  $\gamma : V_1 \times V \rightarrow V_2$  with  $V_1 \subseteq M^{k_1}$ ,  $V \subseteq M$  and  $V_2 \subseteq M^{k_2}$ .


In the sequel we assume the range of  $\gamma$  is equal to  $M^{k_2}$ . Classically, when  $M$  is the field of the reals, we see  $M$  as the time,  $M^{k_1} \times M$  as the space-time,  $M^{k_2}$  as the (output) space and  $M^{k_1}$  as the input space. We keep this terminology in the more general context of a structure  $\mathcal{M}$ .

In this presentation time and space have the same underlying structure (i.e.  $\mathcal{M}$ ) this comes from our presentation in [BMRT04] where we needed the whole dynamical system to be definable in the o-minimal structure  $\mathcal{M}$ . However we can imagine dynamical system with dynamics  $\gamma : V_1 \times V \rightarrow V_2$  where  $V$  is a totally ordered set and  $V_1, V_2$  are defined in completely different structure. This should not affect the results presented in the sequel.

The definition of *dynamical system* encompasses a lot of different behaviors. Let us give some examples.

**Example 220** *Let  $\mathcal{M} = \langle \mathbb{N}, < \rangle$  and the dynamics  $\gamma : \{0, 1\} \times \{0, 1\} \rightarrow \{0, 1\}$  is given by  $\gamma(x, t) = (x + t) \bmod 2$ . The transition system associated with this dynamical system (see Definition 224) is in fact a finite automaton (see Figure 3).*

<sup>6</sup> Our definition of dynamical system is an attempt to generalize the continuous dynamics of hybrid systems ([Hen96]) with no explicit reference to differential equations. This definition, even if rather close, is different from the one given in [Wil91]. Deeper investigation on the links between the two definitions would be relevant work.



**Fig. 3.** A finite automaton

**Example 221** We can recover the continuous dynamics of the timed automaton (see [AD94]). In this case, we have that  $\mathcal{M} = \langle \mathbb{R}, < \rangle$  and the dynamics  $\gamma : \mathbb{R}^n \times [0, +\infty[ \rightarrow \mathbb{R}^n$  is defined as follows.

$$\gamma(x_1, \dots, x_n, t) = (x_1 + t, \dots, x_n + t)$$

**Example 222** Definition 219 also allows dynamical systems with non deterministic<sup>7</sup> behavior. Let us consider  $(\mathcal{M}, \gamma)$  where each point of the plane has two possible behaviors: “to go to the right” or “to go up” (see Figure 4 on page 13). More precisely we have that  $\mathcal{M} = \langle \mathbb{R}, < \rangle$  and  $\gamma : \mathbb{R}^3 \times \mathbb{R} \rightarrow \mathbb{R}^2$  is defined as follows.

$$\gamma(x_1, x_2, p, t) = \begin{cases} (x_1 + t, x_2) & \text{if } p \geq 0 \\ (x_1, x_2 + t) & \text{if } p < 0 \end{cases}$$

**Definition 223** If we fix a point  $x \in M^{k_1}$ , the set  $\Gamma_x = \{\gamma(x, t) \mid t \in M\} \subseteq M^{k_2}$  is called the trajectory determined by  $x$ .

We define a transition system associated with the dynamical system, this definition is an adaptation to our context of the classical *continuous transition* in the case of hybrid system (see [LPS00] for example).

**Definition 224** Given  $(\mathcal{M}, \gamma)$  a dynamical system, we define a transition system  $T_\gamma = (Q, \rightarrow_\gamma)$  associated with the dynamical system by:

- the set  $Q$  of states is  $M^{k_2}$ ;
- the transition relation  $y_1 \rightarrow_\gamma y_2$  is given by:

$$\exists x \in M^{k_1}, \exists t_1, t_2 \in M, (t_1 \leq t_2 \text{ and } \gamma(x, t_1) = y_1 \text{ and } \gamma(x, t_2) = y_2)$$

**Remark 225** Let us notice that  $T_\gamma$  is a reflexive transition system.

**Remark 226** The transition system  $T_\gamma$  is in general not transitive. To illustrate this fact, let us consider Example 222. Given the three points of the output space  $y_1 = (0, 0)$ ,  $y_2 = (0, 1)$  and  $y_3 = (1, 1)$ , we clearly have that  $y_1 \not\rightarrow_\gamma y_3$  since  $y_1 \rightarrow_\gamma y_2$  and  $y_2 \rightarrow_\gamma y_3$ . Indeed  $y_1 = \gamma(0, 0, -1, 0)$ ,  $y_2 = \gamma(0, 0, -1, 1) = \gamma(0, 1, 1, 0)$  and  $y_3 = \gamma(0, 1, 1, 1)$ .

<sup>7</sup> The non determinism comes in fact from the associated transition system, see Definition 224.

### 3 Words and dynamics

Given a dynamical system  $(\mathcal{M}, \gamma)$  and  $\mathcal{P}$  a finite partition of the space  $M^{k_2}$ , an interesting question is to know if there exists a finite bisimulation of  $(\mathcal{M}, \gamma)$  w.r.t.  $\mathcal{P}$ . If such a bisimulation exists the *bisimulation algorithm* 216 provides the coarsest one by iterating the computation of the predecessors of the pieces of the partition  $\mathcal{P}$ . The goal of this section is to give another procedure that computes the coarsest bisimulation on a dynamical system  $(\mathcal{M}, \gamma)$  (i.e. a bisimulation on  $T_\gamma$ ) w.r.t. a partition  $\mathcal{P}$ . Our approach is in some sense more global than the *bisimulation algorithm*. We use the idea introduced in [BMRT04] which consists in encoding the dynamics of  $(\mathcal{M}, \gamma)$  through the partition  $\mathcal{P}$  by words on this partition. Let us first explain how we associate a word with a trajectory.

#### 3.1 Encoding trajectories by words

First let us define the notion of *word* in this general (possibly uncountable) context. This definition is inspired from [BC01], see also [Tru89,Rab03].

**Definition 31** *Given  $\mathcal{P}$  a finite set (called the alphabet),  $M$  a totally ordered set, a word  $\omega$  on  $\mathcal{P}$  is a function from  $M$  to  $\mathcal{P}$ ; the word  $\omega$  is also denoted in a sequence-like notation by  $(\omega_i)_{i \in M}$  where  $\omega_i \in \mathcal{P}$  is the image of the element  $i$  under the function  $\omega$ .*

We recover the classical finite words or  $\omega$ -words when the set  $M$  is respectively finite or equal to  $\mathbb{N}$ .

**Example 32** *Let us consider the finite set  $\mathcal{P} = \{A, B\}$ . We give three examples of words on  $\mathcal{P}$ .*

1. *Given the finite set  $M_1 = \{1, 2, 3, 4\}$  equipped with the natural ordering and the function  $\omega_1 : M_1 \rightarrow \mathcal{P}$  such that  $\omega_1(1) = A$ ,  $\omega_1(2) = B$ ,  $\omega_1(3) = A$  and  $\omega_1(4) = B$ , we recover an example of finite word. In this case  $\omega_1$  is classically denoted  $ABAB$ .*
2. *Given the set of natural number  $M_2 = \mathbb{N}$  equipped with the natural ordering and the function  $\omega_2 : M_2 \rightarrow \mathcal{P}$  such that  $\omega_2(n) = A$  if  $n$  is even and  $\omega_2(n) = B$  if  $n$  is odd, we recover an example of  $\omega$ -word. In this case  $\omega_2$  is classically denoted  $(AB)^\omega$ .*
3. *Given the set of real number  $M_3 = \mathbb{R}$  equipped with the natural ordering and the function  $\omega_3 : M_3 \rightarrow \mathcal{P}$  such that  $\omega_3(n) = A$  if  $n \in \mathbb{Q}$  and  $\omega_3(n) = B$  if  $n \in \mathbb{R} \setminus \mathbb{Q}$ , we have a “degenerated” example of word.*

We need to introduce basic notions related to words in this general context. For finite words, we adopt the classical notations.

**Definition 33** *Given  $\omega : M \rightarrow \mathcal{P}$  a word on  $\mathcal{P}$ , a subword of  $\omega$  is given by  $\omega_s : M' \rightarrow \mathcal{P}$  where  $M' \subseteq M$  is an arbitrary subset of  $M$  considered with the order induced from  $M$ .*

**Definition 34** Given  $\omega : M \rightarrow \mathcal{P}$  a word on  $\mathcal{P}$ , a suffix of  $\omega$  is a subword of a particular form. A subword  $\omega_s : M' \rightarrow \mathcal{P}$  is a suffix if and only if  $M' = \{t \mid t \geq t_0\}$  or  $M' = \{t \mid t > t_0\}$  for some  $t_0 \in M$ . In the same way we can define the notion of prefix.

**Definition 35** Given  $\omega_1 : M_1 \rightarrow \mathcal{P}$  and  $\omega_2 : M_2 \rightarrow \mathcal{P}$  two words on  $\mathcal{P}$ , the concatenation of the words  $\omega_1$  and  $\omega_2$  is defined by the word  $\omega_1\omega_2 : M_1 \dot{\cup} M_2 \rightarrow \mathcal{P}$  where  $\omega_1\omega_2 \upharpoonright_{M_1} = \omega_1$  and  $\omega_1\omega_2 \upharpoonright_{M_2} = \omega_2$  and where the order on  $M_1 \dot{\cup} M_2$  is the order induced from  $M_1$  on  $M_1$ , the order induced from  $M_2$  on  $M_2$  and  $\forall m_1 \in M_1, \forall m_2 \in M_2$  we have that  $m_1 < m_2$  in  $M_1 \dot{\cup} M_2$ .

We are now ready to build words associated with trajectories. Given  $(\mathcal{M}, \gamma)$  a dynamical system and  $\mathcal{P}$  a finite partition of  $M^{k_2}$ , given  $x \in M^{k_1}$  we associate a word with the trajectory  $\Gamma_x$  in the following way. We consider the sets  $\{t \in M \mid \gamma(x, t) \in P\}$  for each  $P \in \mathcal{P}$ . This gives a partition of the time  $M$ . In order to define a word on  $\mathcal{P}$  associated with the trajectory determined by  $x$ , we need to define the set of intervals  $\mathcal{F}_x$ .

$$\mathcal{F}_x = \{I \mid (I \text{ is a time interval or a point}) \text{ and is maximal for the property } \exists P \in \mathcal{P}, \forall t \in I, \gamma(x, t) \in P\}.$$

For each  $x$ , the set  $\mathcal{F}_x$  is totally ordered by the order induced from  $M$ . Let us note that the set  $\mathcal{F}_x$  can be equal to  $M$  itself. This allows us to define *the word on  $\mathcal{P}$  associated with  $\Gamma_x$*  denoted  $\omega_x$ .

**Definition 36** Given  $x \in M^{k_1}$ , the word associated with  $\Gamma_x$  is given by the function  $\omega_x : \mathcal{F}_x \rightarrow \mathcal{P}$  defined by:

$$\omega_x(I) = P \quad \text{where } I \in \mathcal{F}_x \text{ is such that } \forall t \in I \quad \gamma(x, t) \in P.$$

Let us note that given  $x \in M^{k_1}$ , there exists a unique word  $\omega_x$  on  $\mathcal{P}$  associated with the trajectory  $\Gamma_x$ . The intuition behind the introduction of  $\mathcal{F}_x$  is the following. We want successive<sup>8</sup> letters of the words  $\omega_x$  to be different.

**Definition 37** We denote by  $\Omega_{\mathcal{P}}$  the set of words associated with  $(\mathcal{M}, \gamma)$  w.r.t.  $\mathcal{P}$ . We have that  $\Omega_{\mathcal{P}}$  is a set of words on  $\mathcal{P}$ .

The set  $\Omega_{\mathcal{P}}$  gives in some sense a complete *static* description of the dynamical system  $(\mathcal{M}, \gamma)$  through the partition  $\mathcal{P}$ . In order to recover the *dynamics*, we need further information. This is the object of the following subsection.

### 3.2 Dynamical type

Given a point  $x$  of the input space  $M^{k_1}$ , we have associated with  $x$  a trajectory  $\Gamma_x$  and a word  $\omega_x$ . If we consider  $(x, t)$  a point of the space-time  $M^{k_1} \times M$ , it

<sup>8</sup> The notion of successive letters is only defined for “well behaving” dynamical systems.

corresponds to a point  $\gamma(x, t)$  lying on  $I_x$ . To recover in some sense the position of  $\gamma(x, t)$  on  $I_x$  from  $\omega_x$ , we associate with  $(x, t)$  a suffix of the word  $\omega_x$  denoted  $\omega_{(x,t)}$ . The construction of  $\omega_{(x,t)}$  is similar to the construction of  $\omega_x$ . We need to introduce the set of intervals

$$\mathcal{F}_{(x,t)} = \{I \cap \{t' \mid t' \geq t\} \mid I \in \mathcal{F}_x\}.$$

For each  $(x, t)$ , the set  $\mathcal{F}_{(x,t)}$  is totally ordered by the order induced from  $M$ . This allows us to define *the suffix of the word  $\omega_x$  associated with time  $t$*  denoted  $\omega_{(x,t)}$ .

**Definition 38** Given  $(x, t) \in M^{k_1} \times M$ , the suffix of the word  $\omega_x$  associated with time  $t$  is given by the function  $\omega_{(x,t)} : \mathcal{F}_{(x,t)} \rightarrow \mathcal{P}$  defined by:

$$\omega_{(x,t)}(I) = P \quad \text{where } I \in \mathcal{F}_{(x,t)} \text{ is such that } \forall t' \in I \quad \gamma(x, t') \in P.$$

Due to the particular form of the suffixes  $\omega_{(x,t)}$ , it makes sense to define *the first letter of  $\omega_{(x,t)}$* .

**Definition 39** Given  $(x, t) \in M^{k_1} \times M$ , the first letter of the suffix  $\omega_{(x,t)}$  is given by  $\omega_x(I)$  where  $I$  is the interval of  $\mathcal{F}_x$  such that  $t \in I$ . We denote the first letter of  $\omega_{(x,t)}$  by  $\mathbf{F}(\omega_{(x,t)})$ .

Let us notice that given  $(x, t)$  a point of the space-time  $M^{k_1} \times M$  there is a unique suffix  $\omega_{(x,t)}$  of  $\omega_x$  associated with  $(x, t)$ .

Given a point  $y \in M^{k_2}$  it may have several  $(x, t)$  such that  $\gamma(x, t) = y$  and so several suffixes are associated with  $y$ . In other words, given  $y \in M^{k_2}$ , the *future* of  $y$  is non deterministic, and so a single suffix  $\omega_{(x,t)}$  is not enough to recover the dynamics of the transition system through the partition  $\mathcal{P}$ . To encode the dynamical behavior of a point  $y$  of the output space  $M^{k_2}$  through the partition  $\mathcal{P}$ , we introduce several notions of *dynamical type* of a point  $y$  w.r.t.  $\mathcal{P}$ .

**Definition 310** Given a dynamical system  $(\mathcal{M}, \gamma)$ , a finite partition  $\mathcal{P}$  of  $M^{k_2}$ , a point  $y \in M^{k_2}$  the suffix dynamical type of  $y$  w.r.t.  $\mathcal{P}$  is denoted  $\text{Suf}_{\mathcal{P}}(y)$  and defined by:

$$\text{Suf}_{\mathcal{P}}(y) = \{\omega_{(x,t)} \mid \gamma(x, t) = y\}.$$

We have that  $\text{Suf}_{\mathcal{P}}(y)$  is a subset of suffixes of words of  $\Omega_{\mathcal{P}}$ .

**Definition 311** Given a dynamical system  $(\mathcal{M}, \gamma)$ , a finite partition  $\mathcal{P}$  of  $M^{k_2}$ , an integer  $n \in \mathbb{N}$ , a point  $y \in M^{k_2}$  the  $n$ -subword dynamical type of  $y$  w.r.t.  $\mathcal{P}$  is denoted  $n\text{Sub}_{\mathcal{P}}(y)$  and defined by:

$$n\text{Sub}_{\mathcal{P}}(y) = \{\omega \mid \gamma(x, t) = y \text{ and } \omega \text{ is a subword of } \omega_{(x,t)} \\ \text{and the length of } \omega, |\omega| \leq n \text{ and } \mathbf{F}(\omega) = \mathbf{F}(\omega_{(x,t)})\}.$$

**Definition 312** Given a dynamical system  $(\mathcal{M}, \gamma)$ , a finite partition  $\mathcal{P}$  of  $M^{k_2}$ , a point  $y \in M^{k_2}$  the subword dynamical type of  $y$  w.r.t.  $\mathcal{P}$  is denoted  $Sub_{\mathcal{P}}(y)$  and defined by:

$$Sub_{\mathcal{P}}(y) = \bigcup_{n \in \mathbb{N}} nSub_{\mathcal{P}}(y).$$

We have that  $nSub_{\mathcal{P}}(y)$  is a subset of  $Sub_{\mathcal{P}}(y)$  for all  $n \in \mathbb{N}$ .

**Notations 313** If we want to talk about a dynamical type of the point  $y$  without specifying if it is a subword,  $n$ -subword or suffix dynamical type, we use the notation  $\mathcal{T}_{\mathcal{P}}(y)$ .

Our goal is to refine the partition  $\mathcal{P}$  in order to build a bisimulation w.r.t.  $\mathcal{P}$ . For this purpose we consider the equivalence relation between points of the output space  $M^{k_2}$  “to have same dynamical type w.r.t.  $\mathcal{P}$ ”. This equivalence relation induces a new partition of the output space  $M^{k_2}$  which refines  $\mathcal{P}$ .

**Definition 314** We denote by  $\mathcal{T}(\mathcal{P})$  the refinement of the partition  $\mathcal{P}$  obtained by considering the equivalence relation  $\equiv_{\mathcal{T}(\mathcal{P})}$  on  $M^{k_2}$  given by:

$$y_1 \equiv_{\mathcal{T}(\mathcal{P})} y_2 \quad \text{if and only if} \quad \mathcal{T}_{\mathcal{P}}(y_1) = \mathcal{T}_{\mathcal{P}}(y_2).$$

**Notations 315** The partition  $\mathcal{T}(\mathcal{P})$  is respectively denoted  $Suf(\mathcal{P})$ ,  $nSub(\mathcal{P})$  and  $Sub(\mathcal{P})$  in the case of the suffix,  $n$ -subword and subword dynamical type.

**Remark 316** The  $nSub(\mathcal{P})$  partitions are only relevant for  $n \geq 2$ . Indeed,  $0Sub(\mathcal{P}) = \{M^{k_2}\}$  and  $1Sub(\mathcal{P}) = \mathcal{P}$ . This is why in the sequel of the paper when we talk about  $n$ -subword dynamical typen we always assume  $n \geq 2$ .

**Remark 317** The different dynamical types induced different partitions. Those partitions are related as follows in term of refinement.

$$\mathcal{P} \supseteq 2Sub(\mathcal{P}) \supseteq \dots \supseteq nSub(\mathcal{P}) \supseteq \dots \supseteq \bigcap_{i \in \mathbb{N}} (iSub(\mathcal{P})) = Sub(\mathcal{P}) \supseteq Suf(\mathcal{P})$$

Once  $\mathcal{T}(\mathcal{P})$  is computed<sup>9</sup> two possibilities can occur. On one hand we can have that  $\mathcal{P} = \mathcal{T}(\mathcal{P})$ , in this situation, we have that  $\mathcal{P}$  is in fact a bisimulation on  $(\mathcal{M}, \gamma)$  w.r.t.  $\mathcal{P}$  (see Theorem 327). On the other hand we can have that  $\mathcal{P} \neq \mathcal{T}(\mathcal{P})$ . In this case we can refine  $\mathcal{T}(\mathcal{P})$  by considering the dynamical types on  $\mathcal{T}(\mathcal{P})$ . We start by building words on  $\mathcal{T}(\mathcal{P})$  associated with the trajectories  $\Gamma_x$  to obtain  $\Omega_{\mathcal{T}(\mathcal{P})}$  and finally we obtain the different kinds of dynamical types w.r.t.  $\mathcal{T}(\mathcal{P})$ . This leads to a third partition  $\mathcal{T}(\mathcal{T}(\mathcal{P}))$  denoted  $\mathcal{T}^2(\mathcal{P})$ . Again two situations can occur:  $\mathcal{T}(\mathcal{P}) = \mathcal{T}^2(\mathcal{P})$  or  $\mathcal{T}(\mathcal{P}) \neq \mathcal{T}^2(\mathcal{P})$ . This allows us to consider a general procedure that we describe in the following subsection.

**Remark 318** The readers familiar with the classical bisimulation algorithm (216) realised that the partition induced by  $2Sub(\mathcal{P})$  is sufficient in order to compute bisimulation. We investigate the other dynamical types in order to “accelerate” in some sense the construction of the bisimulation, in particular when the bisimulation algorithm does not terminate (see Corollary 337 and Example 41).

<sup>9</sup> the meaning of the word “computed” is discussed in Remark 320.

### 3.3 Procedure *Bisi $\omega$*

By starting with some initial partition  $\mathcal{P}_0$  we have seen how to build a new partition  $\mathcal{T}(\mathcal{P}_0)$ . We iterate the construction to obtain a sequence of partitions  $(\mathcal{T}^i(\mathcal{P}_0))_{i \in \mathbb{N}}$  such that for each  $i \in \mathbb{N}$  we have that the partition  $(\mathcal{T}^{i+1}(\mathcal{P}_0)) = \mathcal{T}(\mathcal{T}^i(\mathcal{P}_0))$  corresponds to the partition induced by the dynamical types w.r.t.  $\mathcal{T}^i(\mathcal{P}_0)$ . This construction is summarized by the following procedure, we call this procedure *Bisi $\omega$* .

#### Procedure 319

**Initialization:**  $\mathcal{P} := \mathcal{P}_0$

**Do**

**Compute** the set of words  $\Omega_{\mathcal{P}}$

**Associate**  $T_{\mathcal{P}}(y)$  with each  $y \in M^{k_2}$  use it to **Build**  $\mathcal{T}(\mathcal{P})$

**If**  $\mathcal{P} = \mathcal{T}(\mathcal{P})$

**Then Return**  $\mathcal{P}$

**Else**  $\mathcal{P} := \mathcal{T}(\mathcal{P})$

**End Do**

**Remark 320** *Procedure Bisi $\omega$  is merely conceptual. Indeed in general it is far to be computable. One main problem to be settled is to determine when two general words, as defined in our context, are equal. Let us be more explicit, assume that  $\omega_x$  and  $\omega_{x'}$  are words respectively associated with the trajectories  $\Gamma_x$  and  $\Gamma_{x'}$ . The problem is that  $\omega_x$  and  $\omega_{x'}$  are not equal as functions since their domains are different: they are respectively  $\mathcal{F}_x$  and  $\mathcal{F}_{x'}$ . Since the order on  $\mathcal{F}_x$  and  $\mathcal{F}_{x'}$  is possibly not discrete, and even not well-founded, we need to introduce a general notion of synchronization for ordered sets which is nothing else than an isomorphism of ordered structures. So we will say that  $\omega_x$  and  $\omega_{x'}$  are equal if and only there exist an isomorphism  $\sigma$  between the ordered structures  $\mathcal{F}_x$  and  $\mathcal{F}_{x'}$  such that for all  $I \in \mathcal{F}_x$  we have that  $\omega_x(I) = \omega_{x'}(\sigma(I))$ .*

*Let us remark that the partition  $\mathcal{T}(\mathcal{P})$  is in general even not definable by a first-order  $\mathcal{L}$ -formula where  $\mathcal{L}$  is the language given by the order and the initial partition:  $\mathcal{L} = \{<, \mathcal{P}, \gamma\}$ .*

*However we have shown that in the case of o-minimal structures the first step of Procedure Bisi $\omega$  already provides interesting results. A discussion about computation of the words and the dynamical types in this particular case can be found in [BM04].*

**Remark 321** *Given  $P \in \mathcal{T}(\mathcal{P})$  it can be seen as a subset of  $M^{k_2}$ , or it can be seen as a dynamical type w.r.t.  $\mathcal{P}$  i.e. a set of words on  $\mathcal{P}$ .*

**Lemma 322** *Given  $y$  a point of the output space  $M^{k_2}$ , the first letter of each  $\omega \in T_{\mathcal{P}}(y)$  is  $P$  where  $P \in \mathcal{P}$  and  $y \in P$ . This is true for the each kind of dynamical type defined previously.*

*Proof.* This is an immediate consequence of the different definitions of the dynamical types.

**Lemma 323** Given a dynamical system  $(\mathcal{M}, \gamma)$  and  $\mathcal{P}$  a partition of  $M^{k_2}$  we have that  $\mathcal{T}(\mathcal{P})$  refines  $\mathcal{P}$ .


*Proof.* This is a direct consequence of Remark 317 and the fact that  $\mathcal{P} = 1\text{Sub}(\mathcal{P})$ .

**Remark 324** By Lemma 323 we have that Procedure *Bisiw* generates a decreasing sequence of partitions:

$$\mathcal{P} \supseteq \mathcal{T}(\mathcal{P}) \supseteq \mathcal{T}^2(\mathcal{P}) \supseteq \dots \supseteq \mathcal{T}^i(\mathcal{P}) \supseteq \dots$$

To illustrate how Procedure *Bisiw* works, let us give an example.

**Example 325** We consider the dynamical system  $(\mathcal{M}, \gamma)$  of Example 222. We associate to  $(\mathcal{M}, \gamma)$  the initial partition  $\mathcal{P} = \{A_1, A_2\}$  where  $A_1 = \{(0, 0)\}$  and  $A_2 = \mathbb{R}^2 \setminus \{(0, 0)\}$  (see Figure 4). We apply Procedure *Bisiw* on  $(\mathcal{M}, \gamma)$  with  $\mathcal{P}$  as initial partition and using the suffix dynamical type.



**Fig. 4.**  $\mathcal{P} = \{A_1, A_2\}$

First, we compute the set of words w.r.t.  $\mathcal{P}$ ,

$$\Omega_{\mathcal{P}} = \{A_2, A_1A_2, A_2A_1A_2\}.$$

From  $\Omega_{\mathcal{P}}$  we see that there exist three dynamical types w.r.t.  $\mathcal{P}$ :

$$B_1 = \{A_2, A_2A_1A_2\}; \quad B_2 = \{A_1A_2\}; \quad B_3 = \{A_2\}.$$

These dynamical types lead to the new partition  $\text{Suf}(\mathcal{P}) = \{B_1, B_2, B_3\}$  (see Figure 5) where  $B_1 = \{(y_1, 0) \mid y_1 < 0\} \cup \{(0, y_2) \mid y_2 < 0\}$ ,  $B_2 = \{(0, 0)\}$  and  $B_3 = \mathbb{R}^2 \setminus (B_1 \cup B_2)$ . Notice that  $\text{Suf}(\mathcal{P})$  is a strict refinement of  $\mathcal{P}$ , so we iterate the construction. We compute the set of words w.r.t.  $\text{Suf}(\mathcal{P})$ ,

$$\Omega_{\text{Suf}(\mathcal{P})} = \{B_1B_2B_3, B_3B_1B_3, B_2B_3, B_1B_3, B_3\}.$$

From  $\Omega_{\text{Suf}(\mathcal{P})}$  we see that there exist four dynamical types w.r.t.  $\text{Suf}(\mathcal{P})$ :


$$C_1 = \{B_1B_2B_3, B_1B_3\}; \quad C_2 = \{B_3B_1B_3\}; \quad C_3 = \{B_2B_3\}; \quad C_4 = \{B_3\}$$

Again these dynamical types lead to a new partition  $Suf^{\beta}(\mathcal{P}) = \{C_1, C_2, C_3, C_4\}$  (see Figure 6). Let us compute the set of words w.r.t.  $Suf^{\beta}(\mathcal{P})$ ,

$$\Omega_{Suf^{\beta}(\mathcal{P})} = \{C_2C_1C_4, C_1C_3C_4, C_1C_4, C_3C_4, C_4\}.$$

From  $\Omega_{Suf^{\beta}(\mathcal{P})}$  we see that there exist four dynamical types w.r.t.  $Suf^{\beta}(\mathcal{P})$ :

$$D_1 = \{C_1C_3C_4, C_1C_4\}; D_2 = \{C_2C_1C_4\}; D_3 = \{C_3C_4\}; D_4 = \{C_4\}$$

Fig. 5.  $Suf(\mathcal{P})$ Fig. 6.  $Suf^{\beta}(\mathcal{P})$ Fig. 7.  $Suf^{\beta^3}(\mathcal{P})$ 

Those four dynamical types do not refine the partition  $Suf^{\beta}(\mathcal{P})$  (see Figure 7). In other words, we have the following equality  $Suf^{\beta}(\mathcal{P}) = Suf^{\beta^3}(\mathcal{P})$ . One can check that  $Suf^{\beta}(\mathcal{P})$  is a bisimulation on  $(\mathcal{M}, \gamma)$  w.r.t.  $\mathcal{P}$ .

**Remark 326** The dynamical system of Example 325 is non-deterministic. Indeed two trajectories are associated with each point  $y$  of the output space  $M^{k_2}$ . In the papers [BMRT04, BM04], we were unable to deal with such situations.

The situation of Example 325 is not a particular case. Indeed if Procedure *Bisiw* terminates, it provides a bisimulation. We can now state the main result of the paper:

**Theorem 327** Let  $(\mathcal{M}, \gamma)$  be a dynamical system, let  $T_{\gamma}$  be the associated transition system on  $M^{k_2}$ , and let  $\mathcal{P}_0$  be a finite partition of  $M^{k_2}$ . If Procedure *Bisiw* terminates, then it provides a bisimulation on  $T_{\gamma}$  w.r.t.  $\mathcal{P}_0$ .

*Proof.* By hypothesis, Procedure *Bisiw* returns a partition  $\mathcal{P}$  such that  $\mathcal{P} = \mathcal{T}(\mathcal{P})$ . To prove that the equivalence relation induced from  $\mathcal{P}$  is a bisimulation on  $T_{\gamma}$  w.r.t.  $\mathcal{P}_0$ . We will show that given any  $y_1, y_2 \in A$  and  $y'_1 \in B$  (for some  $A, B \in \mathcal{P}$ ) if  $y_1 \rightarrow_{\gamma} y'_1$  then there exists  $y'_2 \in B$  such that  $y_2 \rightarrow_{\gamma} y'_2$ .

Since  $\mathcal{P} = \mathcal{T}(\mathcal{P})$ ,  $A$  corresponds to a dynamical type on  $\mathcal{P}$  (i.e. an element of  $\mathcal{T}(\mathcal{P})$ ). Hence we have that  $T_{\mathcal{P}}(y_1) = T_{\mathcal{P}}(y_2)$ . Depending of the kind of dynamical type, the argument to find  $y'_2$  is slightly different. We do the rest of the proof with the suffix dynamical type, the other<sup>10</sup> cases are similar.

<sup>10</sup> This of course does not hold for the 0-subword and the 1-subword dynamical types.

Since  $y_1 \rightarrow_\gamma y'_1$  there exists  $x_1 \in M^{k_1}$  and  $t_1, t'_1 \in M$  with  $t_1 \leq t'_1$  such that  $\gamma(x_1, t_1) = y_1$  and  $\gamma(x_1, t'_1) = y'_1$ . By definition of the suffix dynamical type,  $\omega_{(x_1, t_1)} \in \text{Suf}_{\mathcal{P}}(y_1)$ . Since  $y_1 \in A$  and  $y'_1 \in B$ , we have that  $AB$  is a subword<sup>11</sup> of  $\omega_{(x_1, t_1)}$ . Using the fact that  $\text{Suf}_{\mathcal{P}}(y_1) = \text{Suf}_{\mathcal{P}}(y_2)$ , we can find  $x_2 \in M^{k_1}$  and  $t_2 \in M$  such that  $\gamma(x_2, t_2) = y_2$  and  $\omega_{(x_2, t_2)} = \omega_{(x_1, t_1)}$ . Hence it is possible to find an interval (or a point)  $I \in \mathcal{F}_{(x_2, t_2)}$  such that  $\omega_{(x_2, t_2)}(I) = B$ . We pick any point  $t'_2 \in I$  and clearly we have that  $y'_2 = \gamma(x_2, t'_2)$  is the desired point.

We have that  $\mathcal{P}$  respects  $\mathcal{P}_0$  by iterating Lemma 323.

**Corollary 328** *Under the assumptions of Theorem 327 we have that if there exists  $\mathcal{P}'_0$  a refinement of  $\mathcal{P}_0$  such that  $\mathcal{P}'_0 = \mathcal{T}(\mathcal{P}'_0)$  then  $\mathcal{P}'_0$  is a bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ .*

Unfortunately, Procedure *Bisi $\omega$*  does not provide in general the coarsest bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}$ . Here are two examples that illustrate this fact.

**Example 329** *We consider a dynamical system where the output space consists of two parallel straight lines and the dynamics is completely deterministic, given a point on one of the lines, it goes to infinity without leaving the line. In other words, we have that  $\mathcal{M} = \langle \mathbb{R}, < \rangle$  and the dynamics  $\gamma : \mathbb{R} \times \{0, 1\} \times \mathbb{R} \rightarrow \mathbb{R} \times \{0, 1\}$  is defined by  $\gamma(x_1, x_2, t) = (x_1 + t, x_2)$ . We associate with  $(\mathcal{M}, \gamma)$  the partition  $\mathcal{P} = \{A, B\}$  where  $B = \mathbb{R} \times \{0, 1\} \setminus A$  and  $A$  is defined as follows:*

$$A = \{ (n - (1/m), 0) \mid n \in \mathbb{N}, m \in \mathbb{N} \setminus \{0\} \} \cup \{ (n, 1) \mid n \in \mathbb{N} \}.$$

*Let us consider the suffix dynamical type of the two points  $y_1 = (1/2, 0)$  and  $y_2 = (1, 1)$ :*

$$\text{Suf}_{\mathcal{P}}(y_1) = ((AB)^\omega)^\omega \quad \text{and} \quad \text{Suf}_{\mathcal{P}}(y_2) = (AB)^\omega.$$

*Clearly,  $y_1$  and  $y_2$  do not have the same suffix dynamical type w.r.t.  $\mathcal{P}$  however one can show that  $\mathcal{P}$  is the coarsest bisimulation w.r.t.  $\mathcal{P}$ .*

**Remark 330** *In the previous example, the fact that the partition is too fine is due to the fact that the bisimulation does not distinguish  $(AB)^\omega$  and  $((AB)^\omega)^\omega$ . Indeed, in this case the transition system  $T_\gamma$  is completely deterministic, so the bisimulation only need to know that the dynamics goes infinitely often from  $A$  to  $B$  and from  $B$  to  $A$ . The bisimulation does not care about the “kind of infinity”. It is well-known that in the case of deterministic finite transition systems, the bisimulation and language correspond. Example 329 shows that considering more complex system make not clear how the notions of language equivalence and bisimulation are related.*

**Remark 331** *Let us notice that if we consider  $n$ -subword or subword dynamical type on Example 329 we obtain the coarsest bisimulation.*


<sup>11</sup> Formally, we have to take  $\{t_1, t'_1\} = M' \subseteq M$ .

However when considering non deterministic system, the next example shows that using 3-subword dynamical type leads already to a too fine analysis.

**Example 332** *Let us consider the dynamical system of Figure 8 with the partition  $\mathcal{P} = \{A, B, C\}$ . Let us consider the 3-subword dynamical type of the two points  $y_1$  and  $y_2$ .*

$$3\text{Sub}_{\mathcal{P}}(y_1) = \{ABC\} \quad \text{and} \quad 3\text{Sub}_{\mathcal{P}}(y_2) = \{AB, AC\}.$$

*Clearly,  $y_1$  and  $y_2$  do not have the same 3-subword dynamical type w.r.t.  $\mathcal{P}$ , however one can show that  $\mathcal{P}$  is the coarsest bisimulation w.r.t.  $\mathcal{P}$ .*



**Fig. 8.** 3-subword dynamical types do not provide the coarsest bisimulation

Nevertheless if we look at the 2-subword dynamical type, we always obtain the coarsest bisimulation as stated in the following theorem.

**Theorem 333** *Let  $(\mathcal{M}, \gamma)$  be a dynamical system, let  $T_\gamma$  be the associated transition system on  $M^{k_2}$ , and let  $\mathcal{P}_0$  be a finite partition of  $M^{k_2}$ . If Procedure *Bisiw* terminates with the 2-subword dynamical type, then it provides the coarsest bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ .*

*Proof.* By Theorem 327 we already know that Procedure *Bisiw* provides a bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ , it remains to show that it is the coarsest. We proceed *ab absurdo*. Hence we suppose there exists some step of Procedure *Bisiw* and  $y_1, y_2 \in M^{k_2}$  such that  $y_1 \sim_{\mathcal{P}_0} y_2$  and  $2\text{Sub}_{\mathcal{P}}(y_1) \neq 2\text{Sub}_{\mathcal{P}}(y_2)$ . We can choose this step such that each piece of  $\mathcal{P}$  is a union of equivalence classes for  $\sim_{\mathcal{P}_0}$ . We have that  $y_1 \in A$  for some  $A \in \mathcal{P}$ . Since  $2\text{Sub}_{\mathcal{P}}(y_1) \neq 2\text{Sub}_{\mathcal{P}}(y_2)$ , we can suppose  $AB \in 2\text{Sub}_{\mathcal{P}}(y_1)$  and  $AB \notin 2\text{Sub}_{\mathcal{P}}(y_2)$  for some  $B \in \mathcal{P}$ . This means that there exists  $y'_1 \in B$  with  $y_1 \rightarrow_\gamma y'_1$  and that it is impossible to find  $y'_2 \in B$  with  $y_2 \rightarrow_\gamma y'_2$ . Since  $y_1 \sim_{\mathcal{P}_0} y_2$  and  $B$  is a union of equivalence classes for  $\sim_{\mathcal{P}_0}$ , this contradicts that  $\sim_{\mathcal{P}_0}$  is a bisimulation.

**Corollary 334** *Let  $(\mathcal{M}, \gamma)$  be a dynamical system, let  $T_\gamma$  be the associated transition system on  $M^{k_2}$ , and let  $\mathcal{P}_0$  be a finite partition of  $M^{k_2}$ . Procedure *Bisiw* terminates with the 2-subword dynamical type if and only if there exists a finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ .*

*Proof.* If there exists a finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ , the proof of Theorem 333 shows that Procedure *Bisiw* terminates.

Let us now suppose that Procedure *Bisiw* terminates. Since  $\mathcal{P}_0$  is finite, the number of 2-subword dynamical types is finite, (i.e.  $2\text{Sub}(\mathcal{P}_0)$  is finite). By an easy induction using the same argument, one can see that  $2\text{Sub}^i(\mathcal{P}_0)$  is finite for all  $i \in \mathbb{N}$ . Hence if Procedure *Bisiw* terminates, we clearly have that there exists a finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ .

In the sequel, we investigate extra assumptions which provide that Procedure *Bisiw* terminates with the coarsest bisimulation.

**Theorem 335** *Let  $(\mathcal{M}, \gamma)$  be a dynamical system and let  $\mathcal{P}_0$  be a finite partition of  $M^{k_2}$  such that for all  $n \in \mathbb{N}$  and for all  $y \in M^{k_2}$  we have that  $\text{Suf}_{\text{Sub}^n(\mathcal{P}_0)}(y)$  reduces to a singleton, and let  $T_\gamma$  be the associated transition system on  $M^{k_2}$ . If Procedure *Bisiw* terminates with the subword dynamical type, then it provides the coarsest bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ .*

*Proof.* The proof is similar to the proof of Theorem 333. We also proceed ab absurdo. Hence we can find some step of Procedure *Bisiw* and  $y_1, y'_1 \in M^{k_2}$  such that  $y_1 \sim_{\mathcal{P}_0} y'_1$  and  $\text{Sub}_{\mathcal{P}}(y_1) \neq \text{Sub}_{\mathcal{P}}(y'_1)$ . We can choose this step such that each piece of  $\mathcal{P}$  is a union of equivalence classes for  $\sim_{\mathcal{P}_0}$ .

Given any  $\omega = A_1 \dots A_n \in \text{Sub}_{\mathcal{P}}(y_1)$ , we can build the following sequence of transitions.

$$y_1 \rightarrow_\gamma y_2 \rightarrow_\gamma \dots \rightarrow_\gamma y_n,$$

with  $y_i \in A_i$  for  $i = 1, \dots, n$ . Since  $y_1 \sim_{\mathcal{P}_0} y'_1$  we can build a similar sequence of transitions.

$$y'_1 \rightarrow_\gamma y'_2 \rightarrow_\gamma \dots \rightarrow_\gamma y'_n,$$

with  $y_i \sim_{\mathcal{P}_0} y'_i$  for  $i = 1, \dots, n$ . Since each  $A_i$  is a union of equivalence classes for  $\sim_{\mathcal{P}_0}$ , we have that  $y'_i \in A_i$  for  $i = 1, \dots, n$ . Let us now prove that the suffix uniqueness hypothesis implies that there exists  $x \in M^{k_1}$  and  $t_1, \dots, t_n \in M$  with  $t_1 \leq \dots \leq t_n$  such that  $\gamma(x, t_i) \in A_i$  for  $i = 1, \dots, n$ ; meaning that  $\omega \in \text{Sub}_{\mathcal{P}}(y'_1)$ . Clearly we can find  $x, t_1, t_2$  with  $t_1 \leq t_2$ ,  $\gamma(x, t_1) \in A_1$  and  $\gamma(x, t_2) \in A_2$  (since  $y'_1 \rightarrow_\gamma y'_2$ ). Let us suppose, for a contradiction, that given  $x, t_1, t_2$  such that  $t_1 \leq t_2$ ,  $\gamma(x, t_1) \in A_1$  and  $\gamma(x, t_2) \in A_2$  we have that  $\gamma(x, t_3) \notin A_3$  for all  $t_3 \geq t_2$ . In particular, using the suffix uniqueness hypothesis, this means that the unique word of  $\text{Suf}_{\mathcal{P}}(y'_2)$  does not contain the letter  $A_3$ . This contradicts the existence of the transition  $y'_2 \rightarrow_\gamma y'_3$  where  $y'_3 \in A_3$ . Thus we can find  $t_3$  with the desired conditions. Iterating the same argument we find the other  $t_i$ 's.

Similarly, given any  $\omega \in \text{Sub}_{\mathcal{P}}(y'_1)$ , we can prove that  $\omega \in \text{Sub}_{\mathcal{P}}(y_1)$ . This contradicts that  $\text{Sub}_{\mathcal{P}}(y_1) \neq \text{Sub}_{\mathcal{P}}(y'_1)$ .

The assumptions of Theorem 335 are very strong. To weaken these assumptions, one could investigate cases where  $T_\gamma$  is transitive or deterministic.

**Corollary 336** *Under the hypothesis of Theorem 335, if there exists a finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ , Procedure *Bisiw* terminates with the subword dynamical type.*

**Corollary 337** *Under the hypothesis of Theorem 335, if some step of Procedure  $Bisiw$ , with the subword dynamical type, provides an infinite partition  $\mathcal{P}$  there is no finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}_0$ .*

**Corollary 338** *Under the hypothesis of Theorem 335, when Procedure  $Bisiw$  has terminated, we have that:*

$$2Sub(\mathcal{P}) = \dots = nSub(\mathcal{P}) = \dots = Sub(\mathcal{P}) \supseteq Suf(\mathcal{P})$$


**Remark 339** *The assumptions of Theorem 335 are satisfied when  $\gamma(.,.)$  is a flow of a vector field  $F : \mathbb{R}^n \rightarrow \mathbb{R}^n$  which does not depend on the time (this is the assumption in [LPS00]). In this case,  $T_\gamma$  is both transitive and deterministic.*

**Remark 340** *An interesting question is of course to know when Procedure  $Bisiw$  terminates. In [BM04] Theorem 4.21 gives a condition of termination for Procedure  $Bisiw$ .*


**Remark 341** *Given  $(M, \gamma)$  a dynamical system and  $\mathcal{P}$  a finite partition of  $M^{k_2}$  such that there is no finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}$ , there are examples where Procedure  $Bisiw$  terminates with the subwords (or suffix) dynamical types (see Example 41).*

**Remark 342** *In order to obtain similar results on back-bisimulation, one could apply an analog to Procedure  $Bisiw$  where the suffixes are replaced by the prefixes.*

**Remark 343** *In [BMRT04] in order to define the dynamical type of a point w.r.t. some partition, we introduced the notion of (multi)dotted words (instead of the suffixes). One can show that the finite bisimulation obtained with (multi)dotted words is both forward and backward stable. However the use of suffixes instead of (multi)dotted words leads to a coarser bisimulation than the one obtained with the suffixes. This is illustrated in Figures 9 and 10. In Figure 9, the partition induced by the dotted words have nine pieces corresponding to the dotted words  $\dot{A}$ ,  $\dot{A}BA$ , ...,  $AB\dot{A}$ ,  $\dot{A}BABA$ , ...,  $ABAB\dot{A}$ . In Figure 10, the partition induced by the suffixes have five pieces corresponding to the non empty suffixes of the word  $ABABA$ .*



**Fig. 9.** Dotted words partition



**Fig. 10.** Suffixes partition

## 4 Examples

This section illustrates Procedure *Bisiw* on some examples. In each case, we give a dynamical system  $(\mathcal{M}, \gamma)$  and an initial partition  $\mathcal{P}$  and we observe how Procedure *Bisiw* behaves.

**Example 41** *We consider a dynamical system  $(\mathcal{M}, \gamma)$  related to the spiral example of [LPS00]. We have  $\mathcal{M} = \langle \mathbb{R}, < \rangle$  and  $\gamma : \mathbb{R}^2 \times \mathbb{R} \rightarrow \mathbb{R}^2$  are defined as follows.*

$$\gamma(x, t) = e^t (x \cos t, x \sin t)$$

*The dynamics  $\gamma$  is a solution of the system of differential equations (2) which is not time depending. Hence we can apply Corollary 337 (see Remark 339) to this example.*

$$\begin{pmatrix} \dot{X} \\ \dot{Y} \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 1 & 1 \end{pmatrix} \cdot \begin{pmatrix} X \\ Y \end{pmatrix} \quad (2)$$

*The dynamics  $\gamma$  describes spirals moving away from the origin when time elapses. We associate with this dynamical system the partition  $\mathcal{P} = \{A, B\}$  where  $A = \{(y_1, 0) \mid 0 \leq y_1 \leq 1\}$  and  $B = \mathbb{R}^2 \setminus \{A\}$ . Let us focus on the trajectory  $\Gamma_1 = \{(e^t \cos t, e^t \sin t) \mid t \in \mathbb{R}\}$ . We divide the trajectory  $\Gamma_1$  into two distinct parts:*

$$\Gamma_1^- = \{(e^t \cos t, e^t \sin t) \mid t \leq 0\} \text{ and } \Gamma_1^+ = \{(e^t \cos t, e^t \sin t) \mid t > 0\}$$

*We have that  $\Gamma_1^-$  is included in the ball of radius 1 centered at the origin  $(0, 0)$  and  $\Gamma_1^+$  has no intersection with this ball. In particular we have that the subword dynamical type of any point  $y \in \Gamma_1^+$  is given by  $\{B\}$ . If we now consider points on  $\Gamma_1^-$ , one can see that their subword dynamical consists of words in  $(AB)^+$  or  $(BA)^+$ . Let us now show that there are infinitely many subword dynamical types by describing explicitly the dynamical types of the points on  $\Gamma_1^-$ . Given  $y \in \Gamma_1^-$ , we have that  $y = \gamma(1, t)$  for some  $t \leq 0$ , two cases can occur.*

*If  $t = -2k\pi$  then  $(AB)^{k+1} \in \text{Sub}_{\mathcal{P}}(y)$  and  $(AB)^{k+2} \notin \text{Sub}_{\mathcal{P}}(y)$ ,*

*if  $t \in ]-2(k+1)\pi, -2k\pi[$  then  $(BA)^{k+1}B \in \text{Sub}_{\mathcal{P}}(y)$  and  $(BA)^{k+2}B \notin \text{Sub}_{\mathcal{P}}(y)$ .*

*Hence the first step of Procedure *Bisiw* with subword dynamical types, already provides an infinite partition  $\text{Sub}(\mathcal{P})$ . This shows that there is no finite bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}$  by Corollary 337. However one can see that  $\text{Sub}(\mathcal{P}) = \text{Sub}^2(\mathcal{P})$ . This means that  $\text{Sub}(\mathcal{P})$  is the coarsest bisimulation on  $T_\gamma$  w.r.t.  $\mathcal{P}$ .*

**Remark 42** *In Example 41, we have just seen that  $T_\gamma$  does not admit a finite bisimulation w.r.t.  $\mathcal{P}$ . However  $T_\gamma$  admits a finite back-bisimulation w.r.t.  $\mathcal{P}$ . In particular when considering points on the trajectory  $\Gamma_1$ , we only have two prefixes to consider,  $(AB)^\omega$  and  $(BA)^\omega$ . That justifies the interest of considering both back-bisimulations and bisimulations given a dynamical system.*

We now consider an example with self intersecting curve<sup>12</sup>.

<sup>12</sup> This kind of behavior motivated the notion of multidotted words in [BMRT04].

**Example 43** We consider the dynamical system of Figure 11 with initial partition  $\mathcal{P} = \{A_1, A_2\}$ . There are four suffix dynamical types w.r.t.  $\mathcal{P}$ :


$$B_1 = \{A_1 A_2 A_1\}; B_2 = \{A_2 A_1\}; B_3 = \{A_1\}; B_4 = \{A_1, A_1 A_2 A_1\}.$$

This leads to the four pieces partition  $\mathcal{T}(\mathcal{P})$ . The set  $\Omega_{\mathcal{T}(\mathcal{P})}$  consists of the unique word  $B_1 B_4 B_1 B_2 B_3 B_4 B_3$ . There are six dynamical types w.r.t.  $\mathcal{T}(\mathcal{P})$ :


$$C_1 = \{B_1 B_4 B_1 B_2 B_3 B_4 B_3\}; C_2 = \{B_4 B_1 B_2 B_3 B_4 B_3, B_4 B_3\};$$

$$C_3 = \{B_1 B_2 B_3 B_4 B_3\}; C_4 = \{B_2 B_3 B_4 B_3\}; C_5 = \{B_3 B_4 B_3\}; C_6 = \{B_3\}.$$

We obtain the partition  $\mathcal{T}^2(\mathcal{P})$ . One can easily check that  $\mathcal{T}^2(\mathcal{P}) = \mathcal{T}^3(\mathcal{P})$ .



**Fig. 11.** A simple loop



**Fig. 12.**  $\mathcal{T}^2(\mathcal{P}) = \mathcal{T}^3(\mathcal{P})$

## 5 Conclusion

In this paper we introduced a merely conceptual algorithm called Procedure *Bisiw*. This procedure aims to build a finite bisimulation of a given dynamical system w.r.t. a given partition using words. Procedure *Bisiw* gives a more “global” vision of the bisimulation than the well-known *bisimulation algorithm*. The papers [KV04, KV05] illustrates that Procedure *Bisiw* can help to compute complexity bound on the size of the coarsest bisimulation.

Two of the main challenges for futur work are the following questions, “When is Procedure *Bisiw* effective?”, “When does Procedure *Bisiw* terminate?”.

Another question to address is the following. In Section 3, we introduced several “intermediate” equivalence relations (see Definition 314). These equivalence relations deserve to be investigate for their own. At present we did not manage to find any relevant property of these equivalence relations.

**Acknowledgments.** The author would like to thank Véronique Bruyère for helpfull discussions and Christian Michaux for careful reading of the drafts of this paper and numerous relevant comments. He also want to thank the referees for their serious work and useful remarks.

## References

- [ACH<sup>+</sup>95] R. Alur, C. Courcoubetis, N. Halbwachs, T.A. Henzinger, P.-H. Ho, A. Olivero, J. Sifakis, and S. Yovine, *The algorithmic analysis of hybrid systems*, Theoret. Comput. Sci. **138** (1995), no. 1, 3–34, Special issue on hybrid systems. MR MR1318291 (96b:68111)
- [Acz88] P. Aczel, *Non-well-founded sets*, CSLI Lecture Notes, vol. 14, Stanford University Center for the Study of Language and Information, Stanford, CA, 1988, With a foreword by Jon Barwise [K. Jon Barwise]. MR 89j:03039
- [AD94] R. Alur and D.L. Dill, *A theory of timed automata*, Theoretical Computer Science **126** (1994), no. 2, 183–235.
- [AHLP00] R. Alur, T.A. Henzinger, G. Lafferriere, and G.J. Pappas, *Discrete abstractions of hybrid systems*, Proceedings of the IEEE **88** (2000), 971–984.
- [ASY01] Eugene Asarin, Gerardo Schneider, and Sergio Yovine, *On the decidability of the reachability problem for planar differential inclusions.*, HSCC'2001 (Di Benedetto and Maria Domenica, eds.), Lecture Notes in Computer Science, vol. 2034, Springer, 2001, pp. 89–104.
- [BC01] V. Bruyère and O. Carton, *Automata on linear orderings*, Mathematical foundations of computer science, 2001 (Mariánské Lázně), Lecture Notes in Comput. Sci., vol. 2136, Springer, Berlin, 2001, pp. 236–247. MR MR1907015 (2003d:03065)
- [BFH91] A. Bouajjani, J.-C. Fernandez, and N. Halbwachs, *Minimal model generation*, Computer-Aided Verification: Proc. of the 2nd International Conference CAV'90 (E. M. Clarke and R. P. Kurshan, eds.), Springer, Berlin, Heidelberg, 1991, pp. 197–203.
- [BM04] T. Brihaye and C. Michaux, *On the expressiveness and decidability of o-minimal hybrid systems*, to appear in the Journal of Complexity 2004.
- [BMRT04] T. Brihaye, C. Michaux, C. Rivièrè, and C. Troestler, *On o-minimal hybrid systems*, HSCC'2004 (Rajeev Alur and George J. Pappas, eds.), Lecture Notes in Computer Science, vol. 2993, Springer, 2004, pp. 219–233.
- [Cau95] D. Caucal, *Bisimulation of context-free grammars and of pushdown automata*, Modal logic and process algebra (Amsterdam, 1994), CSLI Lecture Notes, vol. 53, CSLI Publ., Stanford, CA, 1995, pp. 85–106. MR 96k:68120
- [Dav99] J.M. Davoren, *Topologies, continuity and bisimulations*, Theor. Inform. Appl. **33** (1999), no. 4-5, 357–381, Fixed points in computer science (Brno, 1998). MR 2001b:68091
- [Hen95] T.A. Henzinger, *Hybrid automata with finite bisimulations*, ICALP 95: Automata, Languages, and Programming, Lecture Notes in Computer Science 944, Springer-Verlag, 1995, pp. 324–335.
- [Hen96] ———, *The theory of hybrid automata*, Proceedings of the 11th Annual Symposium on Logic in Computer Science, IEEE Computer Society Press, 1996, pp. 278–292.
- [HKPV98] Thomas A. Henzinger, Peter W. Kopke, Anuj Puri, and Pravin Varaiya, *What's decidable about hybrid automata?*, J. Comput. System Sci. **57** (1998), no. 1, 94–124, 27th Annual ACM Symposium on the Theory of Computing (STOC'95) (Las Vegas, NV). MR MR1649810 (2000b:68150)
- [HNSY94] T.A. Henzinger., X. Nicollin, J. Sifakis, and S. Yovine, *Symbolic model checking for real-time systems*, Inform. and Comput. **111** (1994), no. 2, 193–244, 1992 IEEE Symposium on Logic in Computer Science. MR MR1276749 (95c:68154)

- [JdS04] A.A. Julius and A.J. van der Schaft, *State maps of general behaviors, their lattice structure and bisimulations*, Proceedings of the Sixteenth International Symposium on Mathematical Theory of Networks and Systems (MTNS2004), 2004.
- [KS90] Paris C. Kanellakis and Scott A. Smolka, *CCS expressions, finite state processes, and three problems of equivalence*, Inform. and Comput. **86** (1990), no. 1, 43–68. MR MR1049267 (92e:68041)
- [KV04] M. Korovina and N. Vorobjov, *Pfaffian hybrid systems*, CSL 2004 (Jerzy Marcinkowski and Andrzej Tarlecki, eds.), Lecture Notes in Computer Science, vol. 3210, Springer-Verlag, 2004, pp. 430–441.
- [KV05] ———, *Upper and lower bounds on sizes of finite bisimulations of pfaffian hybrid systems*, preprint 2005.
- [LPS00] G. Lafferriere, G. J. Pappas, and S. Sastry, *O-minimal hybrid systems*, Math. Control Signals Systems **13** (2000), no. 1, 1–21. MR 2001f:68086
- [Rab03] A. Rabinovich, *Automata over continuous time*, Theoret. Comput. Sci. **300** (2003), no. 1-3, 331–363. MR 2004i:68125
- [SJSL00] S. N. Simic, K. H. Johansson, S. Sastry, and J. Lygeros, *Towards a geometric theory of hybrid systems.*, HSCC'2000 (N. Lynch et al, ed.), Lecture Notes in Computer Science, vol. 1790, Springer, 2000, pp. 421–436.
- [Tru89] J. K. Truss, *Infinite permutation groups. II. Subgroups of small index*, J. Algebra **120** (1989), no. 2, 494–515. MR 90c:20005
- [vdD98] L. van den Dries, *Tame topology and o-minimal structures*, London Mathematical Society Lecture Note Series, vol. 248, Cambridge University Press, Cambridge, 1998. MR 99j:03001
- [Wil91] Jan C. Willems, *Paradigms and puzzles in the theory of dynamical systems*, IEEE Trans. Automat. Control **36** (1991), no. 3, 259–294. MR MR1092818 (92h:93006)